

**Tabla 2S.** Lista de especies de plantas con flores de mayor IVI, registradas en cuatro fragmentos de BST del caribe colombiano. FER= frecuencia relativa; DER= dominancia relativa; COR= cobertura relativa.

Fragmentos	Especie	FER	DER	COR	IVI
Atlántico	<i>Bursera simaruba</i>	5.40	9.28	25.66	40.35
	<i>Hura crepitans</i>	5.40	10.95	14.36	30.72
	<i>Sorocea sprucei</i>	5.40	9.28	10.50	25.20
	<i>Sterculia apetala</i>	3.24	1.66	16.71	21.62
	<i>Calycophyllum candidissimum</i>	4.86	6.90	6.73	18.50
	<i>Pseudopiptadenia pittieri</i>	2.70	3.57	3.91	10.18
	<i>Coursetia ferruginea</i>	3.78	5.23	0.25	9.28
Bolívar	<i>Cavanillesia platanifolia</i>	1.30	1.31	36.97	39.58
	<i>Mayna grandifolia</i>	3.91	15.73	0.93	20.57
	<i>Lecythis minor</i>	4.34	9.55	4.25	18.15
	<i>Hura crepitans</i>	2.60	1.49	13.94	18.05
	<i>Bursera simaruba</i>	3.47	5.80	5.36	14.64
	<i>Pseudobombax septenatum</i>	0.43	0.18	12.28	12.90
	<i>Calycophyllum candidissimum</i>	3.91	5.61	2.17	11.70
	<i>Quadrella odoratissima</i>	3.04	3.93	1.19	8.16
<i>Trichilia acuminata</i>	3.04	4.30	0.22	7.57	
Guajira	<i>Protium tenuifolium</i>	4.82	26.51	26.42	57.76
	<i>Bursera simaruba</i>	2.75	5.30	14.13	22.19
	<i>Homalolepis cedron</i>	5.51	14.58	0.72	20.82
	<i>Ficus insipida</i>	2.75	0.75	14.35	17.87
	<i>Schizolobium parahyba</i>	1.37	0.75	13.97	16.11
	<i>Attalea butyracea</i>	2.75	0.94	7.39	11.09
	<i>Spondias mombin</i>	2.75	1.89	5.83	10.48
Magdalena	<i>Capparidastrum tenuisiliquum</i>	5.98	16.76	2.30	25.06
	<i>Astronium graveolens</i>	2.99	6.66	11.14	20.80
	<i>Casearia tremula</i>	5.98	10.50	3.01	19.50
	<i>Handroanthus billbergii</i>	4.79	5.25	7.34	17.39
	<i>Cynophalla flexuosa</i>	5.98	9.29	1.75	17.04
	<i>Pterocarpus acapulcensis</i>	4.79	4.84	4.80	14.44
	<i>Quadrella odoratissima</i>	5.38	5.05	3.42	13.86
	<i>Calycophyllum candidissimum</i>	4.19	3.43	5.78	13.41
	<i>Bursera simaruba</i>	2.99	2.02	7.99	13.01